





FUAN RICH ELECTRIC MACHINERY CO.,LTD. FUJIAN DEWEIDA IMP&EXP.CO.,LTD

| ISO900|:2015 (€ @ RoHS

# 

FUAN RICH ELECTRIC MACHINERY CO.,LTD. FUJIAN DEWEIDA IMP&EXP.CO.,LTD

Add: Dacheng Road, Qinxiyang Industry Zone Fuan City, Fujian, China

Tel: +86-591-83987309 Fax: +86-591-83767716

E-mail: chenhuiluan@deweida.net Website: www.fuanrich.com

COPYRIGHT© FUAN RICH ELECTRIC MACHINERY CO..LTD. ALL RIGHT RESERVED

Note: The technical data in this catalogue only for reference. Continuous development of our products entitles
us to change the specification without notice. If any doubt, please contact with us.





machines with convenient transportation and flourishing logistics.

Our factory is more than 3000m², including several production lines such as painting, assembling, and packaging, etc. To ensure the parameters of our products to meet the standards, we established our own testing room specially, so that we can inspect strictly for each batch of products.

We focus on producing water pumps for more than 15 years. It practices the ISO9001 quality management system and the management model of kindheartedness oriented, carries out the brand strategy, insists on the spirit of scientific innovation, and takes the market as its guideline to ensure quality standards and continuously develops new products. In order to achieve products integration and open diversified exporting channels, we takes "set up enterprise image and create the first-class brand" as its managerial policy. At present, it has several kinds of products that completes in specifications, which are exported around the world and well-accepted by clients.

Fuan Rich Electrical Machinery Co., Ltd. is located at Fuan City, which is the electrical appliance town in Fujian Province, China. Also it is the biggest production base of small and medium electric

We pursues the operation philosophy of "win by quality and good faith oriented" to keep forging ahead and be active in innovation, in order to offer customers the best service. We sincerely welcome all friends at home and abroad to cooperate with us to develop business and create a brilliant future together.

# PRODUCT CATALOG



P 23



# PERIPHERAL PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3
iviodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
QB60	0.37	0.5		35	25	18	14	9	6	2			
QB70	0.55	0.75	H(m)	55	48	40	33	25	18	11	6	2	
QB80	0.75	1		65	55	47	38	30	23	16	10	5	2

# PERIPHERAL PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.







PM-45

IDB-35

IDB-50

#### Performance data

Model -	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	
	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
PM-45/IDB-35	0.37	0.5		35	25	19	14	9	5	2			
PM-50/IDB-40	0.55	0.75	H(m)	55	43	36.5	30	23	17	11	6	2	
PM-60/IDB-50	0.75	1		65	52	45	38	31	24	18	12	7	2

### PERIPHERAL PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.







DB-125A

DB-125B LQ-100A

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1
iviodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35
DB-125A	0.125	0.16		25	16	11.5	7	2		
DB-125B	0.25	0.33	- H(m) -	30	21	16	11.5	7	2	
DB-125C	0.37	0.5	П(П)	35	26	21	16	11.5	7	2
LQ-100A	0.37	0.5		35	26	21	16	11.5	7	2

### PERIPHERAL PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.









KF-0

KF-1

KF-2

Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3
Wodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55
KF-0	0.3	0.4		30	21	16	11.5	7	2					
KF-1	0.37	0.5	H(m)	35	26	21	16	11	6.5	2				
KF-2	0.55	0.75	П(П)	45	37	32.5	28	23.5	19	14.5	10	6	2	
KF-3	0.75	1		55	46	41	36	31	26	21	16	11	6.5	2

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.









ECP200(B)

ECP200(A)

CP2000

ECP400Q

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3
Wodel	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
ECP200	0.37	0.5		30	22	18	14	10	6	2			
ECP200Q	0.37	0.5	H(m)	30	22	18	14	10	6	2			
ECP400Q	0.55	0.75		45	37	32.5	28	23.5	19	14.5	10	6	2

# SELF-SUCKING PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





PS138

PS438

03

#### Performance data

CITOTITIAN	cc aac	•												
Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7		3.3
iviodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55
PS138	0.37	0.5		30	21	16	11.5	7	2					
PS 238	0.45	0.6	H(m)	35	26	21	16	11	6.5	2				
PS438	0.55	0.75	П(П)	45	37	32.5	28	23.5	19	14.5	10	5		
PS 538	0.75	1		50	42	38	34	29.5	25	20.5	16	11	6	

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

Periormani	ceuat	a											
Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35	40	45
DCH60-250A	0.25	0.3		30	25	20	15	10.5	6	2			
DCH60-370A	0.37	0.5	H(m)	35	30	25	20	15	10.5	6	2		
DCH60-550A	0.55	0.75	11(11)	50	42	35	30	25	20	15	9	2	
DCH60-750A	0.75	1		55	47	40	35	30	25	20	15	7	2

DCH60-750A

# SELF-SUCKING PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





PCP220

DCHZ60-370

#### Performance data

Madal	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35	40
PCP220	0.45	0.6	H(m)	35	30	25.5	21	17	13	9	5	
DCHZ60-370	0.37	0.5	11(11)	35	30	25	19	15	10	5	2	2

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



WP168A

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.3	2.7	3	3.4
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	38	45	50	57
WP168	0.15	0.2	H(m)	30	25	20.5	16	12	8.5	5	2			
WP305	0.3	0.4	11(11)	40	36	31	27	23	19	15	8	5	2	

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





EP-155

#### Performance data

NA - d-I	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.4	2.7		3.3
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	40	45	50	55
EP155	0.15	0.2		30	25	20.5	16	12	8.5	5	2			
EP305	0.3	0.4	H(m)	40	36	31	27	23	19	15	8	5	2	
EP355	0.35	0.47		45	40	36	32	28	24	20	13	9.5	6	3

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.







PCP130

PS150B

GA101

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1
Wiodei	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35
PCP130	0.37	0.5		30	25	20	15	10.5	6	2	
PS150B	0.3	0.4	H(m)	28	23.5	18.5	13.5	9	4		
GA101	0.1	0.14		15	11	8	5.5	3.5	2		

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





DJK-370

DJK-1100

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3	3.6	3.9	4.2
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35	40	45	50	55	60	65	70
DJK-370	0.37	0.5		35	30	25	20	15	10	6	4							
DJK-550	0.55	0.75		45	41	38	34	30	26	22	18	14	9	4				
DJK-750	0.75	1	H(m)	50	45.7	40.5	35	30	26	22	17.5	14	10	6	3			
DJK-1100	1.1	1.5		55	52	48	45	42	39	36	32	29	25	18	13	9	4	
DJK-1500	1.5	2		65	60.5	56	51	46.5	41.5	36.5	31.6	26	22	17	14	10	7	3

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



DBZ60

#### DBZ-70 Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3
iviodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55
DBZ-60	0.37	0.5		35	25	19	15	10	5	2				
DBZ-70	0.55	0.75	H(m)	40	32	28	24	20	16.5	13	10	6	3	
DBZ-80	0.75	1		50	31	36	32	27	23	19	15	10	7	3.5

DBZ70

# **SELF-SUCKING PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3
Model	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55
TPS-60	0.37	0.5		35	25	19	15	10	5	2				
TPS-70	0.55	0.75	H(m) 7	70	51	42	33	25	17	9	2			
TPS-80	0.75	1.1		80	61	52	43	34	26	18	10	2		

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3
Wodei	0.37 0.5	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55	
DCK-35	0.37	0.5		35	25	19	14	9	5	2				
DCK-55	0.55	0.75	H(m)	45	38	33	28	23	18	12	8	4		
DCK-75	0.75	1		50	43	39	35	30	25	20	15	11	7	3.5

# SELF-SUCKING PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.





#### Performance data

		••												
Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.3
Wodel	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	55
DCJ-370	0.37	0.5		35	25	19	14	9	5	2				
DCJ-550	0.55	0.75	H(m)	40	33	29	24.5	20	16	12	8	4		
DCJ-750	0.75	1		45	40	36	31	26	21	16	11	7	3.5	

# SELF-SUCKING PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

Ciroiman	cc aac	ы								
N4I-I	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1
Model	KW	HP	Q(L/min)	0	10	15	20	25	30	35
GP-125	0.125	0.16		30	21	16	11.5	7	2	
GP-125A	0.125	0.16	LI/ms)	30	21	16	11.5	7	2	
GP-200	0.25	0.33	H(m)	35	26	21	16	11.5	7	2
GP-200A	0.25	0.33		35	26	21	16	11.5	7	2

# SELF-SUCKING PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8
Model	KW	HP	Q(L/min)	0	10	15	20	25	30
GP-125Q	0.125	0.16	H(m)	30	21	16	11.5	7	2
GA-125Q	0.123	0.10	11(11)	50	21	10	11.5	/	2

It is used to transport clean water and other liquids with similar properties to water. It is applicable to domestic water supply, automatic irrigation system, small air conditioning system or supporting facilities, etc.



#### Performance data

		•									
Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1
Wodel	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35
PS116/PS126 PS128/PS135	0.3	0.4		30	25	20	15	10.5	6	2	
PS130/PS200	0.37	0.5	H(m)	35	30	25	20	15	10.5	6	2
APS130	0.4	0.55	П(П)	40	32.5	26	19.5	13.5	8	3	
APS220	0.45	0.6		40	34	28.5	23	18	13	8.5	4

# CENTRIFUGAL PUMP

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc



#### Performance data

N4	Pov	ver	Q(m³/h)	0	1.2	24	3.6	48	54	6	6.6	9	12.6	15	18	21	24	27	30
Model	KW	НР	Q(L/min)	0	20	40	60	80	90	100	110	150	200	250	300	350	400	450	500
CPM130	0.37	Ω5		22	20	17	14	10	8										
CPM146	0.55	0.75		27	25	22	19	15	13										
CPM158	0.75	1		32	30	27	23	19	16.5	14									
CPM170	0.75	1	H(m)	15	14.7	14.5	14	13.5	13	12.4	11.8	9	5						
CPM180	11	15	- ((())	16	15.8	15.5	15	14.7	14.5	14	13.5	12	9.5	7					
CPM200	1.5	2		20	19.8	19.5	19.3	19	18.9	18.8	18.6	18.2	17.5	16.5	15.5	14	12.5	10.8	9
CPW180	1.1	15		35	33	30.5	27	22.5	20	17	14								
CPW200	1.5	2		40	38	35	31.5	27	24	21	17								

# CENTRIFUGAL PUMP

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc







Performance data

SCM-24ST GSCM50SS

Model	Po	wer	Q(m³/h)	0	1.2	2.4	3. 6	4.8	5.4	6	6.6
Model	KW	HP	Q(L/min)	0	20	40	60	80	90	100	110
SCM-22ST	0.37	0.5		13	11	9	7	5			
SCM-24ST	0.55	0.75	H(m)	24	21	18	15	12	8		
SCM-26ST	0.75	1		27	24	21	18	15	12	8	

### **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc





GS CM50

SCM50

#### Performance data

Model	Po	wer	Q(m³/h)	0	1.2	2.4	3. 6	4.8	5.4	6	6.6
Model	KW	HP	Q(L/min)	0	20	40	60	80	90	100	110
SCM22	0.37	0.5		22	20	17	14	10	8		
SCM42	0.55	0.75	H(m)	27	25	22	19	15	13		
SCM50	0.75	1		32	30	27	23	19	16.5	14	

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc





DCM50

DCM100

#### Performance data

Madal	Po	wer	Q(m³/h)	0	1.2	2.4	3.6	4.8	5.4	6	6.6
Model	KW	HP	Q(L/min)	0	20	40	60	80	90	100	110
DCM50	0.37	0.5		22	20	17	14	10	8		
DCM75	0.55	0.75	H(m)	27	25	22	19	15	13		
DCM100	0.75	1		32	30	27	23	19	16.5	14	

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc







1DK-14

1.5DK-20

Performance data

Model	Po	wer	Q(m³/h)	0	1.2	2.4	3.6	4.8	6	9	12.6	15	18	21	24	27
iviodei	KW	HP	Q(L/min)	0	20	40	60	80	100	150	200	250	300	350	400	450
1DK-14	0.37	0.5		13	11.3	8.6	5									
1.5DK-18	0.5	0.75		15	14.3	13.5	125	11.5	10.5	7.9	5					
1.5DK-20	0.75	1	H(m)	16	15.5	14.8	14.1	13.3	125	10.3	7.8	5				
2DK-16	1.1	1.5		16	15.8	15.5	15.2	14.8	14.5	13.5	12.4	11.2	10	8.7	7	
2DK-20	1.5	2		18	17.8	17.5	17.2	16.8	16.5	15.6	14.5	13.3	122	11	9.7	8

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc







PX-201/203

PX-205

X-207

#### Performance data

Model	Po	wer	Q(m³/h)	0	2.4	4.8	6	9	12.6	18	21	24	30	36	42	48
Model	KW	HP	Q(L/min)	0	40	80	100	150	200	300	350	400	500	600	700	800
PX201	0.55	0.75		12	11.3	9	5									
PX203	0.75	1		14	13.5	12.6	12	9.5	5							
PX204	1.1	1.5	H(m)	16	15.7	15.2	14.8	13.3	11	5						
PX205	1.5	2		18	17.8	17.5	17.3	16.3	14.8	10.5	8					
PX207	2.2	3		20	19.8	19.6	19.5	19.3	19	18.4	18	17.5	16	14	11.3	8

### **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc







Performance data

-														
	Model	Po	wer	Q(m³/h)	0	1.2	2.4	3.6	4.8	6	7.2	8.4	9.6	10.8
	Model	KW	HP	Q(L/min)	0	20	40	60	80	100	120	140	160	180
	SCM2-45	0.75	1		35	30	24	17	8					
	SCM2-52	1.1	1.5	H(m)	45	41	35	28	20	10				
	SCM2-60	1.5	2	П(П)	50	47	42.5	37	30	22	12			
	SCM2-68	2.2	3		55	53	50.5	47	43	38.5	33.5	28	22	15

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc





DM100

MB150

#### Performance data

Model	Po	wer	Q(m³/h)	0	1.2	2.4	3.6	4.8	5.4	6	6.6
Model	KW	HP	Q(L/min)	0	20	40	60	80	90	100	110
DM75	0.55	0.75		27	25	22	19	15	13		
DM100	0.75	1	H(m)	32	30	27	23	19	16.5	14	
MB150	1.1	1.5	П(П)	35	33	30.5	27	22.5	20	17	14
MB200	1.5	2		40	38	35	31.5	27	24	21	17

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc







DCS100/1.5

DCS150/2

DCS 200/3

#### Performance data

Model	Pov	ver	Q(m³/h)	0	24	4.8	6	12.6	18	24	30	36	42	48	54
Model	KW	HP	Q(L/min)	0	40	80	100	200	300	400	500	600	700	800	900
DCS75/1.5	0.55	0.75		15	14.5	13.5	12.4	5							
DCS100/1.5	0.75	1		18	17.5	16.5	15.5	9							
DCS150/2	11	1.5	H(m)	12.3	12.3	12.3	12.3	12.2	11.8	11	10.2	9. 1	7.7	6	
DCS200/2	1.5	2		13.8	13.8	13.8	13.8	13.6	13.1	12.4	11.6	10.6	9.3	7. 5	
DCS200/3	1.5	2		14.2	14.2	14.2	14.2	14.1	13.8	13.3	12.5	11.4	9.9	7.8	5

# **CENTRIFUGAL PUMP**

It is used to transport clean water and other liquids with similar properties to water. Applicable to industrial and urban water supply, pressurization of high-rise buildings, garden irrigation, long-distance water transportation, etc





CHF2/7B



Performance data

NFM-130B

Model	Po	wer	Q(m³/h)	0	2.4	6	126	18	24	30	36	42	48	54	6
Model	KW	HP	Q(L/min)	0	50	100	200	300	400	500	600	700	800	900	1000
NFM130A	1.5	2		13	13	13	128	124	11.8	11	39.9	8.5	6.6		
CHF2/6B	1.5	2	H(m)	13	13	13	128	124	11.8	11	39.9	8.5	6.6		
NFM130B	2.2	3	П(П)	16	16	16	15.8	15.4	14.8	14	129	11.5	9.7	7.6	5
CHF2/6C	2.2	3		16	16	16	15.8	15.4	14.8	14	129	11.5	9.7	7.6	5

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



#### Performance data

Model	Pov	ver	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	21	2.4	27	3	3.6	4.2	4.8
Model	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	60	70	80
JET-60L	0.37	0.5		35	28	25.5	23.5	22.5	21	17	3					
JET-80L/80M/ 80Q/80N	0.55	0.75		45	35	31	28	26	24.5	225	18	3				
JET-100L/100M/ 100Q/100N	0.75	1	H(m)	52	41	36.5	33	30	28	27	25.5	20	4			
JET120L	1.1	1.5		55	46	42	38	35	32	30	27.5	25	23	18	5	
JET140L	1.5	2		60	51	47	43	39	36	33	30	28	27	25.5	20	4

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc





#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	21	2.4	2.7	3
Wodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
JSW255A	0.55	0.75		45	35	31	28	26	24.5	22.5	18	3	
JSW355A	0.75	1	H(m)	52	41	36.5	33	30	28	27	25.5	20	4
DJ-255A	0.55	0.75	П(П)	45	35	31	28	26	24.5	22.5	18	3	
DJ-355A	0.75	1		52	41	36.5	33	30	28	27	25.5	20	4

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



#### Performance data

G. 1 G. 1111411		•											
Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	21	24	2.7	3
Model	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
JET-60S	0.37	0.5		35	28	25.5	23.5	22.5	21	17	3		
JET-80S	0.55	0.75	H(m)	45	35	31	28	26	24.5	22.5	18	3	
JET-100S	0.75	1		52	41	36.5	33	30	28	27	25.5	20	4

# **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



#### Performance data

CITOITHAN	cc aac	ч											
Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3
Model	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50
JETST-60/S -100	0.37	0.5		35	28	25.5	23.5	22.5	21	17	3		
JETST-80	0.55	0.75	H(m)	45	35	31	28	26	24.5	22.5	18	3	
JETST-100	0.75	1		52	41	36.5	33	30	28	27	25.5	20	4

JETST-100A

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc





JSP455

#### Performance data

Model	Pov	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	24	2.7	3	3.6	4.2	4.8
Wodel	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	60	70	80
JSP-100A	0.37	0.5		35	28	25.5	23.5	22.5	21	17	3					
JSP-255A	0.55	0.75	117	45	35	31	28	26	24.5	22.5	18	3				
JSP-355A	0.75	1	H(m)	52	41	36.5	33	30	28	27	25.5	20	4			
JSP-455A	1.5	2		60	51	47	43	39	36	33	30	28	27	25.5	20	4

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



DCJP-600

DCJP-1000(Iron)

#### Performance data

Model	Po	wer	Q(m³/h)	0	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.7	3	3.6
Wodei	KW	HP	Q(L/min)	0	10	15	20	25	30	35	40	45	50	60
DCJP-600	0.45	0.6		32	23	20	18	17	16	13.5	9	3		
DCJP-800	0.55	0.75	H(m)	37	28	24	21.5	20	19	17	14	10	4	
DCJP-1000	0.75	1		41	32	28	25	23	22	21	19	16	13	5

### **JET PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



#### Performance data

		••									
Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35
DP255	0.55	0.75		45	43	40	36	30.5	23	13.5	2
DP370	0.75	1		50	47.5	44	39.5	34	26.5	16.5	4
DCP75	0.75	1		50	47.5	44	39.5	34	26.5	16.5	4
DP505	1.1	1.5	H(m)	60	57	53	48	41	32	20	6
DCP150	1.1	1.5	11(11)	60	57	53	48	41	32	20	6
DP750	1.5	2		70	66	61	55	47	37	24	8
JETDP-255SS	0.55	0.75		45	43	40	36	30.5	23	13.5	2
JET DP-370SS	0.75	1		50	47.5	44	39.5	34	26.5	16.5	4

# JET PUMP

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc



#### Performance data

Model	Power		Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1
iviodei	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35
DP305	0.45	0.6	H(m)	60	53	46	38	29	18	6	

# AGRICULTURE PUMP

This pumps are particularly for agriculture applications. The power with motor or gasoline engine. They have a compact size and are extremely reliable, very simple to use.



#### Performance data

Model			Q(m³/h)														
Model	KW	HP	Q(L/min)	0	10	20	30	35	60	80	100	150	200	250	300	350	400
DCT-15	1.5	2	H(m) 2	18	17.8	17.6	17.4	17.3	17	16.8	16.5	16	14.8	13	10.5	7	
DCT-20	2.2	3		24	23.8	23.5	23.3	23.2	22.8	22.5	22	20.8	19.5	18	16	13.5	10
DCTF-20	2.2	3		24	23.8	23.5	23.3	23.2	228	22.5	22	20.8	19.5	18	16	13.5	10

Model	Power		Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	2.1
Model	KW	HP	Q(L/min)	0	5	10	15	20	25	30	35
GA-1	0.75	1	U(m)	50	47.5	44	39.5	34	26.5	16.5	4
GA-2	1.1	1.5	H(m)	60	57	53	48	41	32	20	6

# SUBMERSIBLE PUMP









	Model	Po	wer	Q(m³/h)	0	0.3	0.6	0.9	1.2	1.5	1.8	21	2.4	27	3
		KW	HP	Q(L/min)	0	5	10	15	20	25	30	35	40	45	50
	S100P	0.1	0.14	H(m)	6	5.8	5.55	5.3	5.05	4.75	4.4	4	3.5	2.9	2.2

# **MULTISTAGE PUMP**

It is used to transport clean water and other liquids with similar properties to water. It is applicable to well water lifting, garden irrigation, pipeline pressurization and supporting facilities, etc





#### Performance data

Model	Power	Q(m³/h)	0	0.6	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.5
Widdei	KW	Q(L/min)	0	10	20	30	40	50	60	70	80	92
MHC-20	0.6		22	21	20	19	17	15	13	10	6	2
MHC-30	0.9		32	31	30	28	26	23	20	16	11	4
MHC-40	1.1	H(m)	43	42	41	39	36	33	29	24	17	9
MHC-50	1.35		53	52	51	49	45	41	36	30	23	13
MHC-60	1.65		64	62	61	58	55	50	45	37	28	17

# **SWIMMING POOL PUMP**

It is used for water circulation in all kinds of small domestic swimming pools. Slightly dirty water with solids in suspension can be perfectly filtered.



#### Performance data

Mandal	Po	wer	Current	H.max	Q.max	Size	S.Head
Model	KW	HP	А	m	l/min	inch	М
FCP-370	0.37	0.50	3.2	12	190	1.5"×1.5"	9
FCP-550	0.55	0.75	3.8	14	200	1.5"×1.5"	9
FCP-750	0.75	1.00	5.2	16	220	1.5"×1.5"	9
FCP-1100	1.10	1.50	7.0	18	330	1.5"×1.5"	9
FCP-1500	1.50	2.00	9.6	19	440	1.5"×1.5"	9
FCP-2200	2.20	3.00	13.9	20	510	2"×2"	9

# **INDUSTRY PUMP**

It is used to transport water and other liquids with similar properties to water. It is applicable to garden irrigation, farm water and waterlogging drainage etc.



#### Performance data

Model	Po	wer	Current	Current H.max		Size	S.Head
wodei	KW	HP	А	m	l/min	inch	М
SLM50-27	1.50	2.00	9.6	15	450	2"×2"	9
SLM50-32	2.20	3.00	11.0	17	530	2"×2"	9
SLM80-50	4.00	5.50	20.0	22	830	3"×3"	9

# **GASOLINE PUMP**

It is used to transport water and other liquids with similar properties to water. It is applicable to agricultural irrigation, outdoor construction, fire protection and other places.





#### Performance data

	ITEM	WP20A	WP30A						
	Туре	Self-priming,cent	rifugalpump						
	Inlet	2 inch	3 inch						
α.	Outlet	2 inch	3 inch						
PUMP	Rotate speed	3 6 0 0 rpm	3600 rpm						
2	H.max	30 m	30 m						
	Q.max	27000 L/h	60000 L/h						
	S.head	7 m	7 m						
	Model	EX200	E×200						
	Туре	Air-cooled 4-strcke Gasoline Engine							
	Displacement	196 cc	196cc						
	Horse Power	6.5 HP	6.5 HP						
岁	Fuel Type	Gasoline(Petrol)	Gasoline(Petrol)						
ENGINE	Fuel Tank Capacity	3.6 L	3.6 L						
Z	Oil capacity	0.6 L	0.6 L						
	RunTime Per tankful @3/4 Load	2.2 h	2.2h						
	Starting System	Recoil starter	Recoil starter						
	Dimensions(LxWxH)	485x390x420 mm	515×390×445 mm						
	DryWeight	25 kg	27 kg						

# **MOTOR**

**Y2** SERIES THREE-PHASE INDUCTION MOTORS





#### **YC YCL** SERIES SINGLE-PHASE INDUCTION MOTORS



### MS

SERIES THREE-PHASE ASYNCHRONOUS MOTORS



## ML/MC/MY

SERIES SINGLE-PHASE DUAL-CAPACITOR **ASYNCHRONOUS** MOTORS



### **YZB**

SERIES COCONUT DIGGER

# РУССКИЙ ГОСТ МОТОР

