



DIGITAL CATALOG

BEDS

STRETCHERS

EQUIPMENTS

HOSPITAL FURNITURE

CATALOG

CONTACT



metahospitalar.com.br/en/



+55 (11) 97355-8960



comex@metahospitalar.com.br



[@metahospitalar](https://www.facebook.com/metahospitalar)



[@metahospitalar](https://www.instagram.com/metahospitalar)



[@lucasfranceschini](https://www.linkedin.com/in/lucasfranceschini)



www.youtube.com/@metahospitalar



Pq. Ind. Vice-Presidente José de Alencar
- Avenida Elmar Arantes Cabral Qd.07 |
Lts. 34/36, Aparecida de Goiânia - GO,
74993-535

INTERACTIVE DIGITAL CATALOG

Click the desired link above!





INTRODUCTION

With a history that began in 1997, Metahospitalar is a leading Brazilian manufacturer specialized in the development and production of hospital beds, stretchers, and a wide range of hospital furniture.

With nearly three decades of experience, we supply more than 450,000 active beds in Brazil, serving both public and private healthcare sectors through a culture of continuous innovation.

With a strategic vision focused on the global market, we reaffirm our commitment to excellence and operational efficiency, supported by the most rigorous international standards. We guarantee safety and cutting-edge technology in every export product, certified by internationally recognized standards such as FDA, ISO 13485, ISO 9001, and IEC.

We operate two manufacturing units and one distribution center in Aparecida de Goiânia, Brazil, strategically equipped for excellence. Our main plant integrates painting,



graphics, assembly, and packaging processes under strict international quality management systems, while our upholstery unit delivers premium solutions with world-class materials and finishing.



INDEX

ICU BEDS

- [EVOLUTION CARE BED - MT 168](#)
- [EVOLUTION CARE BED - MT 164](#)
- [DIAMOND CARE BED - MT 215](#)

RECOVERY BEDS

- [EVOLUTION CARE BED - MT 167](#)
- [EVOLUTION CARE BED - MT 161](#)
- [VIDA CARE - ND 1150](#)

STRETCHERS

- [DIAMOND CARE STRETCHER- MT 416](#)
- [STRETCHER - MT 413](#)

PEDIATRIC

- [PEDIATRIC MOTORIZED CRIB - MT 219](#)
- [PEDIATRIC MOTORIZED BED - MT 154](#)

DELIVERY BEDS

- [DELIVERY BED - MT 146](#)

TRANSPORT CHAIR

- [OPTIMUS TRANSPORT CHAIR - MT 450](#)

HEMODIALYSIS CHAIRS

- [HEMOPREMIUM - MT 639](#)

[Click the desired link above!](#)



ICU
BEDS



280Kg
617lbs



JSON / Ethernet Data
Protocol



Touchscreen
Display and
Dual Control on
the Siderails



Bed Platform Extension
+20cm (≈ 8")



GENERAL DESCRIPTION

- Night light.
 - 6” casters with total and directional brakes.
 - Full protection side rails.
- Washable, disinfectable and removable patient platform.
 - IV pole.

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		400mm	750mm	



TECHNICAL DATA*

Bed: Length: ≈1950 - 2150mm (≈74,7” - 86,6”); **Width:** ≈830mm (≈32,6”);

Overall: Length: ≈2280 - 2480mm (≈89,7” - 97,6”) with extension;

Width: ≈1090mm (≈43”); **Height:** ≈400 - 750mm (≈15,7” - 29,5”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



GENERAL DESCRIPTION

- Full protection siderails.
- Washable, disinfectable and removable patient platform.

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		330mm	680mm	



TECHNICAL DATA*

Bed: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Overall: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extension;
Width: ≈1090mm (≈43"); **Height:** ≈400 - 750mm (≈15,7" - 29,5").

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



300Kg
662lbs



Higher siderails help prevent patient falls



Display on the footboard



Four independent HDPE siderails (High-Density Polyethylene)



GENERAL DESCRIPTION

- Washable, disinfectable and removable patient platform.
- Dual control on siderails.
- Diamond siderails.
- 6” casters with total and directional brakes.
- Decorative finish on siderails and head/foot boards.
- Radiolucent backrest with cassette holder.
- IV pole.

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		480mm	750mm	



TECHNICAL DATA*

Bed: Length: ≈1950 - 2150mm (≈74,7” - 86,6”); **Width:** ≈830mm (≈32,6”); **Overall:** Length: ≈2280 - 2480mm (≈89,7” - 97,6”) with extension; **Width:** ≈1090mm (≈43”); **Height:** ≈480 - 750mm (≈18,8” - 29,5”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



RECOVERY
BEDS



**280Kg**
617lbs



6” casters with total and directional brakes



Touch screen display & Dual control on siderails



Bed Platform Extension +20cm (≈ 8”)



GENERAL DESCRIPTION

- Night light.
- Full protection siderails.
- Washable, disinfectable and removable patient platform.



Technical Specifications

MOVEMENTS

						
BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		400mm	750mm	



TECHNICAL DATA*
Bed Platform: Length: ≈1950 - 2150mm (≈74,7” - 86,6”); **Width:** ≈830mm (≈32,6”);
Overall: Length: ≈2280 - 2480mm (≈89,7” - 97,6”) with extension;
Width: ≈1090mm (≈43”); **Height:** ≈400 - 750mm (≈15,7” - 29,5”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



280Kg
617lbs



Four independent HDPE
siderails (High-Density
Polyethylene)



Dual control on
siderails



4" casters with
individual brakes



GENERAL DESCRIPTION

- Washable, disinfectable and removable patient platform.
- Soft-drop siderails.

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		330mm	680mm	



DATOS TÉCNICOS*

Lecho: Largo: ≈1950 - 2150mm (≈74,7" - 86,6"); **Ancho:** ≈680mm;
Total: Largo: ≈2280 - 2480mm (≈89,7" - 97,6") con extensor;
Ancho: ≈1090mm (≈43"); **Altura:** ≈330 - 680mm (≈13,3" - 15,3").

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



GENERAL DESCRIPTION

- Removable headboard and footboard.
- Motorized height adjustment.
- Electric leg rest.
- Full protection siderails.
- Soft-drop siderails.



Technical Specifications

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		330mm	680mm	



TECHNICAL DATA*

Bed: Length: ≈1950 - 2150mm (≈74,7" - 86,6"); **Width:** ≈830mm (≈32,6");
Overall: Length: ≈2280 - 2480mm (≈89,7" - 97,6") with extension;
Width: ≈1000mm (≈39,4"); **Height:** ≈330 - 680mm (≈13" - 26,8").

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



STRETCHERS



280Kg
617lbs



Foldable and reversible lateral siderails with a safety locking system for fall prevention



Its base includes a holder for a medical case and an oxygen cylinder holder



Stretcher height adjustment through a hydraulic system with dual lifting columns (pistons).



GENERAL DESCRIPTION

- High-resistance system that protects the structure in case of impacts.
- 8” casters with total and directional brakes.
- Foldable and reversible lateral

siderails with a safety locking system for fall prevention.

- IV pole.



Technical Specifications

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT
0° 80°	0° 25°	-17°	+17°	600mm	920mm



TECHNICAL DATA*

Bed: Length: ≈1950mm (≈74,7”); **Width:** ≈600mm (≈23,6”);
Overall: Length: ≈2180mm (≈85,8”);
Width: ≈800mm (≈31,5”); **Height:** ≈600 - 920mm (≈23,6 - 36,2”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.

BACK TO
INDEX

Stretcher 600mm | MT 413



230Kg
507lbs



Individual brakes



Oxygen cylinder holder



IV pole

GENERAL DESCRIPTION

- Metal structure with electrostatic powder coating, high resistance, and easy cleaning.
- 5” casters with individual brakes.

- Easy-to-operate pedals for height adjustment.
- Bumper for complete protection.



Technical Specifications

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT
0° 90°	0° 25°	-15° +15°		670mm	960mm



TECHNICAL DATA*

Bed:: Length: ≈1870mm (≈73,6”); **Width:** ≈600mm (≈23,6”);
Overall: Length: ≈2000mm (≈78,8”);
Width: ≈780mm (≈30,7”); **Height:** ≈670 - 960mm (≈26,4” - 97,8”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



PEDIATRIC

180Kg
397lbs



Acrylic side rails



Remote control



IV pole



GENERAL DESCRIPTION

- Removable articulated thermoplastic bed platform.
- With sliding lateral siderails.
- 5” casters with individual brakes.
- Bumper.

- Individual brake.



Technical Specifications

MOVEMENTS


BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15°	+15°	840mm	1040mm	



DATOS TÉCNICOS*

Leito: Largo: ≈1350mm (≈ 53,2”); **Ancho:** 700mm (≈27,5”);
Total: Largo: ≈1620mm (≈63,8”);
Ancho: ≈910mm (≈35,8”); **Altura:** ≈840 - 1040mm (≈33” - 41”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



GENERAL DESCRIPTION

- Siderail with damped lowering system.
- 4” casters with individual brakes.
- Base with partial fairing.



Technical Specifications

MOVEMENTS

BACKREST FOWLER	LEG FOWLER	TREND	REVERSE TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	CHAIR POSITION
0° 77°	0° 23°	-15° +15°		330mm	680mm	



TECHNICAL DATA*
Bed: Length: ≈1750mm (≈68,9”); **Width:** ≈830mm (≈32,7”);
Overall: Length: ≈2280mm (≈89,8”) with extension;
Width: ≈1090mm (≈43”); **Height:** ≈330 - 680mm (≈13” - 26,8”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



DELIVERY
BEDS



250Kg
551lbs



Retractable thigh and foot supports with longitudinal and lateral adjustment



Retractable lateral effort handle



Manufactured with injected foam



GENERAL DESCRIPTION

- Removable footboard.
- IV pole.
- 5” casters with individual brakes.
- Footboard storage compartment.

- Retractable thermoplastic siderail set.

MOVEMENTS



BACKREST FOWLER

0° | 77°



LEG FOWLER

0° | 23°



TREND

-15°



REVERSE TREND

+15°



MINIMUM HEIGHT

630mm



MAXIMUM HEIGHT

840mm



CHAIR POSITION



GYNECOLOGICAL POSITION



SQUATTING POSITION




TECHNICAL DATA*

Bed: Length: ≈1980mm (≈78”); Width: ≈800mm (≈31,5”);
Overall: Length: ≈2300mm (≈90,5”);
Width: ≈1050mm (≈41,5”); Height: ≈630 - 840mm (≈25” - 33”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.



TRANSPORT
CHAIR



GENERAL DESCRIPTION

- Folding arms with rubber coating.
- 4” and 8” casters.
- Rubber handle.
- Rear central brake.
- Padding with high-density foam and eco-leather upholstery.



IV pole



Foley bag and medical case holder



Technical Specifications



TECHNICAL DATA

Length: ≈1170mm (≈46”); **Width:** ≈750mm (≈29,5”);
Height: ≈520mm (≈20,4”).
Seat: Length: ≈1090mm (≈43”); **Width:** ≈650mm (≈25,5”).

*Image for illustrative purposes only. Oxygen cylinder, bag, and folder are not included.



HEMODIALYSIS
CHAIRS

Optional Accessories List:

CR 101 BLACK		CR 215 BLUE	Eco-leather
CR 116 SAND		CR 264 BROWN	
CR 158 FENDI		CR 265 CAMEL	
CR 203 GREEN		CR 266 BLUE	
		CR 42 METALLIC TAUPE	



230Kg
618lbs

Emergency bag holder



Remote control



individual brakes



GENERAL DESCRIPTION

- Carbon steel structure.
- Eco-leather surface.
- Anti-rust fairing with liquid drainage.
- Independent movements.
- 4” casters.
- IV pole.



Technical Specifications

MOVEMENTS

					
BACKREST	LEG	TREND	MINIMUM HEIGHT	MAXIMUM HEIGHT	RECLINED
0° 90°	0° 90°	0° 12°	520mm	720mm	



TECHNICAL DATA*

Normal Position: Length: ≈1050mm (≈41,4”);
Width: ≈720mm (≈28,4”); **Height:** ≈520 - 720mm (≈20,5” - 28,4”);
Reclined Position: ≈1800mm (≈70,9”).

*Size may vary. Features may vary. With optional accessories. Images for illustrative purposes only.

