



Cucumber Spray Program with AgriTecno Products

Young plant establishment

Development and vegetative growth

First flowering and fruit initiation

Fruit development

Fruit ripening



Tecamin Max				
		Tecamin Flower		
		Tecokel Amino CaB		

FOLIAR APPLICATION

ROOT APPLICATION

Tecamin Raiz	
	Agriful

Product	Dose	Applications	Method of application
TECAMIN MAX	1-2 l/ha	Each 15-21 days during vegetative growth.	Foliar application
TECAMIN FLOWER	1-2 l/ha	Apply in flowering each 15 days.	Foliar application
TECNOKEL AMINO CaB	2-3 l/ha	At firsts flower differentiation, 2-3 applications per cycle	Foliar application
TECAMIN RAIZ	2-3 l/ha	In first stages of development to increases root adaptability and overcome stress post-trasplant	Root application
AGRIFUL	3-5 l/ha	Apply during all crop cycle each 7-10 days	Root application

Tecamin Max optimizes on the plant's central metabolism by activating nitrogen cycle that controls productivity and promote fruit quality. Is an excellent protector against all kind of abiotic stress, preventing fruit deformation.

Tecamin Flower regulates the natural flowering process protecting against stress.

Tecnokel Amino CaB Provides calcium and boron to the most demanding crops, avoiding the physiopathological effects of its deficiency in the plant. Improves the texture of the fruit's skin.

Tecamin Raiz A powerful rooter that contains various beneficial substances to stimulate the fast increase of roots such as amino acids, saccharides, vitamins, macro and micro elements, algae extract and plant extracts.

Agriful is a rapid assimilation root biostimulant with bioactive organic compounds, for multipurpose and multicrop application, strengthens the development of the root system.

We also recommend:

Tecnokel Amino Mix is a mixture of micronutrients with amino acids. It provides essential micronutrients. Multiple deficiency corrector benefiting from the synergy of all essential micronutrients needed for the crop's health with amino acids that stimulate metabolism. Apply 2-3l/ha during vegetative growth to avoid deficiencies of micronutrients 1-2 applications.



Distributed by:



AgriTecno[®]

Paseo de Ruzafa, 20, Esc.1-4º, 46002 Valencia (Spain) | +34 963 39 11 84 | info@agritecno.es | www.agritecno.es