

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com



Shandong Engineering Machinery Co. Ltd. Is a wholly owned subsidiary of Caterpillar since 2008 under the SEM branded which has been in China over 60 years. In 2013, Shandong Engineering Machinery Co. Ltd. transitioned to Caterpillar (Qingzhou) Ltd. and continues to produce SEM branded products.

As a strategic brand of Caterpillar, SEM has its own brand proposition, distribution channels, marketing strategy and product support. The SEM brand of wheel loaders, soil compactors, motor graders, dozer and wide-body truck are targeted to meet customers' needs in and outside of China. SEM products are designed to meet or exceed regional industry requirements for quality and reliability.

We provide affordable, available and supported SEM products and services to serve the customers all over the world. In China, SEM machines are sold through a network of over 80 SEM dealers, owned and operated by local entrepreneurs. Outside of China, SEM products are sold mainly through Caterpillar dealerships with dedicated SEM channels, covering more than 100 countries. Export regions for SEM machines are Asia Pacific, Latin America, Eurasia, Africa and Middle East.



Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader

SEM Wheel Loaders have been manufactured in China for nearly 60 years. We offer compact, small and midsize loaders to meet the needs of every application.



SEM 656F

- | | |
|---|---------------------|
| • Rated Load | 5,500kg |
| • Operating Weight with Standard Bucket | 17,385kg |
| • Bucket Capacity | 2.6-5m ³ |

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM618D

- Rated Payload 1,800 kg
- Operating Weight with Standard Bucket 5,940 kg
- Bucket Capacity 0.9-1.0 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM636D

- | | |
|---|------------------------|
| • Rated Payload | 3,000 kg |
| • Operating Weight with Standard Bucket | 10,280 kg |
| • Bucket Capacity | 1.4-2.5 m ³ |

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM655D

- Rated Payload 5,000 kg
- Operating Weight with Standard Bucket 16,800 kg
- Bucket Capacity 2.7-4.5 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM656D

- Rated Payload 5,000 kg
- Operating Weight with Standard Bucket 16,900 kg
- Bucket Capacity 2.7-4.5 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM658D

- Rated Payload 5,000 kg
- Operating Weight with Standard Bucket 17,185 kg
- Bucket Capacity 2.7-4.5 m³

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM660D

- Rated Payload 6,000 kg
- Operating Weight with Standard Bucket 20,100 kg
- Bucket Capacity 3.3-5.5 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM668D

- Rated Payload 6,000 kg
- Operating Weight with Standard Bucket 20,200 kg
- Bucket Capacity 2.9-5.5 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Wheel Loader



SEM676D

- Rated Payload 7,000 kg
- Operating Weight with Standard Bucket 23,000 kg
- Bucket Capacity 4.2-7.0 m³

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Track Type Tractor

As a product brand of Caterpillar, SEM is able to leverage over 100 years of Caterpillar technology and design experience to provide a series of track-type tractors that meet the needs of a variety of applications.



SEM816D

- Operating Weight (w. SU blade, Ripper): 18,230kg
- Ground Pressure (GB/T 30965): 66.8kPa
- Minimum Ground Clearance (Excludes Grouser Height): 410mm

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Track Type Tractor



SEM822D

- Operating Weight (w. SU blade, Ripper): 26,520kg
- Ground Pressure (GB/T 30965): 71.2kPa
- Minimum Ground Clearance (Excludes Grouser Height): 400mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader

SEM Motor Graders feature a large cab mounted on the front frame for an exceptional view to the blade and front axle even during articulation.

SEM 915F



SEM 915F

- Standard Weight (with ROPS): 12,520kg
- Max. Drawbar traction: 70KN
- Frame Articulation Angle: 20°

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM 917F

- Standard Weight (with ROPS): 13,820kg
- Max. Drawbar traction: 75KN
- Frame Articulation Angle: 20°

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM 919F

- Standard Weight (with ROPS): 14,820kg
- Max. Drawbar traction: 80KN
- Frame Articulation Angle: 20°

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM915

- Standard (Operating Weight) : 12,200 kg
- Min. Turning Radius : 7,300 mm
- Wheelbase : 5,830 mm

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM917

- **Standard (Operating Weight) :** 13,500 kg
- **Min. Turning Radius :** 7,300 mm
- **Wheelbase :** 5,830 mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM919

- **Standard (Operating Weight) :** 15,070 kg
- **Min. Turning Radius :** 7.800 mm
- **Wheelbase :** 6,140 mm

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

- **Motor Grader**



SEM921

- **Standard (Operating Weight) :** 15,930 kg
- **Min. Turning Radius :** 7.800 mm
- **Wheelbase :** 6,140 mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Motor Grader



SEM922AWD

- **Standard (Operating Weight) :** 16,560 kg
- **Min. Turning Radius :** 7.800 mm
- **Wheelbase :** 6,140 mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Soil Compactor

SEM Soil Compactors are essential tools in a variety of applications, including road, railway, airfield and industry yard compaction.



SEM510

- Std Rated Power-Gross : 97.5 kW
- Rated Speed : 2,200 r/min
- Turning Radius Inside Drum Edge : 5,990 mm

Bukkehave is your partner for providing trucks, vehicles and heavy equipment solutions.

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Soil Compactor



SEM512

- Std Rated Power-Gross : 97.5 kW
- Rated Speed : 2,200 r/min
- Turning Radius Inside Drum Edge : 5,990 mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Soil Compactor



SEM518

- Std Rated Power-Gross : 129 kW
- Rated Speed : 2,000 r/min
- Turning Radius Inside Drum Edge : 6,350 mm

Bukkehave, Inc.
1850 Eller Dr., Suite 402
Fort Lauderdale, Florida 33316
U.S.A

Tel. 1 800 815 3370
Tel. +1 954 525 9788
Fax. +1 954 525 9785
info@bukkehave.com
www.bukkehave.com

Soil Compactor



SEM520

- Std Rated Power-Gross : 129 kW
- Rated Speed : 2,000 r/min
- Turning Radius Inside Drum Edge : 6,350 mm