



QUALITY  
is our **FORTE**,  
TIMELY DELIVERY  
is our **STRENGTH**.



Importers, Stockist & Suppliers of : Stainless Steel, Carbon Steel, Alloy Steel, Hi-Nickel Alloys & Titanium

## Pipes & Tubes

### Stainless Steel & Duplex Steel

|                                  |                                                                                                                                                                                                                |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Stainless Steel</u>           | : ASTM A 213, 249, 269, 312,<br>358 - TP 304, 304L, 316, 316L, 316Ti, 309,<br>310, 317, 317L, 321, 347, 904L, SMO 254                                                                                          |
| <u>Duplex &amp; Super Duplex</u> | : <u>Standard</u><br>ASTM A 789, 790 - UNS S31803, S32205 (2205)<br><u>Lean</u><br>ASTM A 789, 790 - UNS S32304 (2304)<br><u>Super Duplex</u><br>ASTM A 789, 790 - UNS S32750 (2507)<br>UNS S32760 (Zeron 100) |

### Hi-Nickel & Titanium

#### Hi-Nickel

|                  |                                                                                                    |
|------------------|----------------------------------------------------------------------------------------------------|
| <u>Nickel</u>    | : ASTM B 161, 622, N02200, N02201                                                                  |
| <u>Inconel</u>   | : ASTM B 167, 517, 163 N06600, N06601, N06617<br>ASTM B 444 N07718<br>ASTM B 444, 705, 704, N06625 |
| <u>Incoloy</u>   | : ASTM B 407, 154, 163, 515, N08800, N08810<br>ASTM B 423 N08825<br>ASTM B 729, 464, 468 N08020    |
| <u>Hastelloy</u> | : ASTM B 622, 619, 626 N10276, N06022<br>N10665, N06455                                            |

#### Titanium

|                          |                                                                                                                                        |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| <u>Commercially Pure</u> | : ASTM B 861, 862, 338<br>Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)<br>Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)<br>Gr.7 R 52400 Gr.11 R 52250 |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------|

|               |                                                                                                |
|---------------|------------------------------------------------------------------------------------------------|
| <u>Alloys</u> | : ASTM B 861, 862, 338<br>Gr.5 R 56400 (6Al-4V)<br>Gr.23 R 56401 (6Al-4V-ELI)<br>Gr.12 R 53400 |
|---------------|------------------------------------------------------------------------------------------------|

### Alloy Steel, Carbon Steel & LTCS

|                                    |                                                           |
|------------------------------------|-----------------------------------------------------------|
| <u>Alloy Steel</u>                 | : ASTM A335 Gr. P5, P9, P11, P22 & P91                    |
| <u>Low Alloy Steel Tube</u>        | : ASTM A 213 - T-11, T-12, T-22, T-5, T-9 etc.            |
| <u>Carbon Steel</u>                | : ASTM A 106 Gr. B, ASTM A53                              |
| <u>Carbon Steel Tube</u>           | : BS 3059 Gr. 360 / 440, SA 179,<br>SA / ASTM A210 Gr. A1 |
| <u>Low Temp. (LTCS)</u>            | : ASTM A 333 Gr. 6                                        |
| <u>Line Pipe</u>                   | : API 5L, X 42, 46, 52, 56, 60, 70                        |
| <u>Mild Steel &amp; Galvanized</u> | : IS 1239, IS 3589                                        |

### Cupro Nickel

ASTM B111 C70600 (90:10), C71500 (70:30)

### Monel

ASTM B165, B 725, B163 N04400, N05500,

### Size

|                  |                                                  |
|------------------|--------------------------------------------------|
| <u>Pipes</u>     | : 1/4" to 30"                                    |
| <u>Schedule</u>  | : Sch. 5 to Sch. XXS                             |
| <u>Tubes</u>     | : 6 mm OD to 219.08 mm OD                        |
| <u>Thickness</u> | : 0.6mm-10mm-Gauge : 22 SWG/BWG<br>to 10 SWG/BWG |
| <u>Form</u>      | : Round, Square, Rectangle, Coil, 'U' Shape      |
| <u>Length</u>    | : Standard Length & Cut Length                   |

### Specializing in: Large Diameter CS Pipes & Duplex Steel

#### Test Certificate

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.



## Flanges

### Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H  
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : ASTM A 182 - F51, F53, F55

### Hi-Nickel & Titanium

#### Hi-Nickel

Nickel : ASTM B 564 N02200, N02201  
Inconel : ASTM B 564 N06600, N06601, N06617  
ASTM B 564 N07718  
ASTM B 564 N06625  
Incoloy : ASTM B 564 N08800, N08810  
ASTM B 564 N08825  
ASTM B 564 N08020  
Hastelloy : ASTM B 564 N10276, N06022  
ASTM B 564 N10665  
ASTM B 564 N06455

#### Titanium

Commercially Pure : ASTM B 861, 862, 338 Gr.1 R 56250 (CP4)  
Gr.2 R 50400 (CP3) Gr.3 R 50550 (CP2)  
Gr.4 R 50700 (CP1) Gr.7 R 52400  
Gr.11 R 52250  
Alloys : ASTM B 861, 862, 338 Gr.5 R 56400 (6Al-4V)  
Gr.23 R 56401 (6Al-4V-ELI)  
Gr.12 R 53400

#### Types

|            |                    |
|------------|--------------------|
| Weldneck   | Screwed / Threaded |
| Socketweld | Long Weldneck      |
| Slip on    | Lapped Joint       |
| Blind      | Spectacle Blind    |

### Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,  
WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

### Cupro Nickel

ASTM B 171 C70600 (90:10),  
ASTM B 171 C71500 (70:30)

### Monel

ASTM B 564 N04400  
DIN N05500

### Size

1/2"NB to 48"NB, ANSI B 16.5

### Class

150#, 300#, 600#, 900#, 1500#, 2500#,  
in ASA 150 & ASA 300

**Specializing in:**  
**Hi-Nickel & Stainless Steel Series**

### Test Certificate

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.

## Buttweld Fittings

### Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 403 WP - 304/304H/304L/316/316H  
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : Standard  
ASTM A815 - UNS S31803, S32205 (2205)  
Lean  
ASTM A815, 790 - UNS S32304 (2304)  
Super Duplex  
ASTM A815, 790 - UNS S32750 (2507)  
UNS S32760 (Zeron 100)

### Hi-Nickel & Titanium

#### Hi-Nickel

Nickel : ASTM B 366 N02200, N02201  
Inconel : ASTM B 366 N06600, N06601, N06617  
ASTM B 366 N07718  
ASTM B 366 N06625  
Incoloy : ASTM B 366 N08800, N08810  
ASTM B 366 N08825  
ASTM B 366 N08020  
Hastelloy : ASTM B 366 N10276, N06022  
ASTM B 366 N10665  
ASTM B 366 N06455

#### Titanium

Commercially Pure : ASTM B 363  
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)  
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)  
Gr.7 R 52400 Gr.11 R 52250  
Alloys : ASTM B 363  
Gr.5 R 56400 (6Al-4V)  
Gr.23 R 56401 (6Al-4V-ELI)  
Gr12 R 53400

### Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,  
WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

### Cupro Nickel

ASTM B 171 C70600 (90:10),  
ASTM B 171 C71500 (70:30)

### Monel

ASTM B 366 N04400  
DIN N05500

### Size

Pipes : ½" to 30"

Schedule : Sch. 5 to Sch. XXS

### Types

|                          |                                    |
|--------------------------|------------------------------------|
| Stubend - (Long & Short) | Elbow (45 DEG, 90 DEG, 180 DEG)    |
| U Bend                   | Tee - (Barred, Equal, Reducing)    |
| End Cap                  | Reducer - (Concentric & Eccentric) |
| Laterals                 | Nipple - (Swage & Barrel)          |

### Specializing in: Hi-Nickel & Stainless Steel Series

#### **Test Certificate**

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.



## Forged Fittings

### Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H  
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : ASTM A 182 - F51, F53, F55

### Hi-Nickel & Titanium

#### Hi-Nickel

Nickel : ASTM B 564 N02200, N02201  
Inconel : ASTM B 564 N06600, N06601, N06617  
ASTM B 564 N07718  
ASTM B 564 N06625  
Incoloy : ASTM B 564 N08800, N08810  
ASTM B 564 N08825  
ASTM B 564 N08020  
Hastelloy : ASTM B 564 N10276, N06022  
ASTM B 564 N10665  
ASTM B 564 N06455

#### Titanium

Commercially Pure : ASTM B 381  
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)  
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)  
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 381  
Gr.5 R 56400 (6Al-4V)  
Gr.23 R 56401 (6Al-4V-ELI)  
Gr.12 R 53400

### Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,  
WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

### Cupro Nickel

ASTM B 171 C70600 (90:10),  
ASTM B 171 C71500 (70:30)

### Monel

ASTM B 564 N04400  
DIN N05500

### Size

Size : 1/2"NB to 4"NB (Socket Weld & Threaded)  
Class : 3000#, 6000#, 9000#, in ANSI B 16.11

### Types

|                     |          |
|---------------------|----------|
| Elbow (45 & 90 Deg) | Coupling |
| Tee                 | Cap      |
| Union               | Plug     |
| Cross               | Bushing  |
| Swage Nipple        | Boss     |

### Specializing in: Hi-Nickel & Stainless Steel Series

#### Test Certificate

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.



## Sheets, Plates & Coils

### Stainless Steel & Duplex Steel

Stainless Steel : ASTM A240 304/304L/316/316L/316Ti/  
309/310/317/317L/321/347/409/410/  
430/904L/SMO 254 / AL6XN

Duplex & Super Duplex : Standard  
ASTM A240 - UNS S31803/S32205 (2205)  
Lean  
ASTM A240 - UNS S32304 (2304)  
Super Duplex  
ASTM A240 - UNS S32750 (2507)  
ASTM A240 - UNS S32760 (Zeron 100)

### Quenched & Tempered

ASTM A537 CL.1 & 2

### Boiler Quality

SA 516 Gr. 70

### Hardox

Hardox 400 / 500

### Hi-Nickel & Titanium

#### Hi-Nickel

Nickel : ASTM B162 N02200, N02201  
Inconel : ASTM B 168 N06600, N06601, N06617  
ASTM B 670 N07718  
ASTM B 443 N06625  
Incoloy : ASTM B 409 N08800, N08810  
ASTM B 424 N08825  
ASTM B 462 N08020  
Hastelloy : ASTM B 575 N10276, N06022  
ASTM B 333 N10665

#### Titanium

Commercially Pure : ASTM B 265  
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)  
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)  
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 265  
Gr.5 R 56400 (6Al-4V)  
Gr.23 R 56401 (6Al-4V-ELI)  
Gr.12 R 53400

### Alloy Steel, Carbon Steel / Mild Steel

Alloy Steel Pipe : ASTM A387 Gr. 11, 12, 22, 5, 91 (CL 1/2)  
Carbon Steel : ASTM A 36  
S275 JR  
IS 2062 Gr. A/B

### Aluminium

ASTM B 928  
5083 (A95083), 5086 (A95086),  
5052 (A95052) T6061 (A96061)

### Spring Steel Coils

CR C55, C80, C62, C45

### Cupro Nickel

ASTM B171 C70600 (90:10), C71500 (70:30)

### Monel

ASTM B127 N04400, DIN N05500

### Size

**Sheets** : 0.8mm to 4mm thk. in 1000 upto 2000 mm Width  
& 2000 upto 6000 Length  
**Plates** : 5mm to 100 mm thk. In 1000 upto 2000 mm Width  
& 2000 upto 8000 Length  
**Coils** : 0.1 mm thk. to 12mm thk. in 10mm upto 1500 Width  
**Foils** : 0.01 mm thk. to 0.3 mm thk. in any width  
**Strips** : 1mm thk. to 100 mm thk. in 10 mm upto 900 mm Width  
& 1000 upto 6000 Length

### Finish

HR No.1, 2B, BA, Matt, Matt+1 side PVC, BA + 1side PVC, Chequered

### Specializing in:

Stainless Steel Series, Hardox 400/500

### Test Certificate

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.

## Round Bar, Hex, Square

### Stainless Steel & Duplex Steel

Stainless Steel : ASTM A276 303/304/304L, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4Ph, 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc.

Duplex & Super Duplex : Standard  
ASTM A276 - UNS S31803/S32205 (2205)  
Lean  
ASTM A276 - UNS S32304 (2304)  
Super Duplex  
ASTM A276 - UNS S32750 (2507)  
ASTM A276 - UNS S32760 (Zeron 100)

### Hi-Nickel & Titanium

#### Hi-Nickel

Nickel : ASTM B 160 N02200, N02201  
Inconel : ASTM B 166 N06600, N06601, N06617  
ASTM B 637 N07718  
ASTM B 446 N06625  
Incoloy : ASTM B 408 N08800, N08810  
ASTM B 425 N08825  
ASTM B 473 N08020  
Hastelloy : ASTM B 574 N10276, N06022  
ASTM B 335 N10665

### Titanium

Commercially Pure : ASTM B 348  
Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)  
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)  
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 348  
Gr.5 R 56400 (6Al-4V)  
Gr.23 R 56401 (6Al-4V-ELI)  
Gr.12 R 53400

### Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 182, F5, F9, F11, F22, F91.

### Cupro Nickel

ASTM B 151 C70600 (90:10) C71500 (70:30)

### Monel

ASTM B 164 N04400  
ASTM B 865 N05500

### Aluminium

ASTM B 928 5083 (A95083), 5086 (A95086),  
5052 (A95052) T6061 (A96061)

### Size

Bright Bars : From 5mm Dia upto 350mm Dia  
Black Bars : From 16mm Dia upto 350mm Dia  
Square Bars : From 5mm Dia upto 250mm Dia  
Hex Bars : From 5mm Dia upto 150mm Dia  
Wires : 0.1mm Dia to 5mm Dia  
Welding Electrodes : 2.6mm to 4mm Dia

### Specification

Condition : Rolled, Forged, Annealed, Picked, Hot Rolled, Cold Rolled

**Specializing in:**  
**Duplex Steel, 17-4PH, Titanium**

**Test Certificate**

Manufacturer Test Certification  
En 3.1 & 3.2 IBR Test Certificate

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®  
are Registered Trade Marks of their Respective Owners.





Refinery Plant



Petrochemical Plant



Oil & Gas Industry



Water Piping System



Chemical Industry



Cement Industry



---

Importers, Stockist & Suppliers of : Stainless Steel, Carbon Steel, Alloy Steel, Hi-Nickel Alloys & Titanium

---

**Regd. Office :**

No.38/40, Prabhu Shri Ram Mandir Marg,  
4th Kumbharwada Lane,  
Mumbai - 400 004, India.

**T** : +91-22-6743 8410 / 8411

**M** : +91-98207 76262

**E** : [info@sppalloys.com](mailto:info@sppalloys.com), [exports@sppmetal.com](mailto:exports@sppmetal.com)

**W** : [www.sppalloys.com](http://www.sppalloys.com), [www.sppmetal.com](http://www.sppmetal.com)