



GLOVE SERIES

Vinyl Gloves



Nitrile Gloves



Blended Gloves





Jiuzhaigou · Sichuan

Vinyl Gloves

Medical Examination Grade


Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	
QM-VG-01	XS	≥3.5	75±5	QM-VG-07	XS	≥3.5	75±5	☀ HS Code:39262011 ☀ Elongation(min):300% ☀ Length:9" ☀ MOQ:1×20"GP ☀ Tensile Strength(min):11 MPA ☀ Package:100 PCS/Box,10 Boxes/CTN ☀ Force at Break(min) EN Standard:3.6N ☀ Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀ Color:Transparent/Blue/Black(Customized)
QM-VG-02	S	≥4.0	85±5	QM-VG-08	S	≥4.0	85±5	
QM-VG-03	M	≥4.5	95±5	QM-VG-09	M	≥4.5	95±5	
QM-VG-04	L	≥5.0	105±5	QM-VG-10	L	≥5.0	105±5	
QM-VG-05	XL	≥5.5	115±5	QM-VG-11	XL	≥5.5	115±5	
QM-VG-06	XXL	≥6.0	125±5	QM-VG-12	XXL	≥6.0	125±5	

Certification & Quality Standard





Vinyl Gloves



Leshan Giant Buddha·Sichuan

Industrial Grade								
Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	☀ HS Code:39262011 ☀ Elongation(min):300% ☀ Tensile Strength(min):11 MPA ☀ Package:100 PCS/Box,10 Boxes/CTN ☀ Length:9"/11"/12"☀ MOQ:1×20"GP ☀ Force at Break(min) EN Standard:3.6N ☀ Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀ Color:Transparent/Blue/Black(Customized)
QM-VG-13	XS	≥3.0	75±5	QM-VG-19	XS	≥3.0	75±5	
QM-VG-14	S	≥3.5	85±5	QM-VG-20	S	≥3.5	85±5	
QM-VG-15	M	≥4.0	95±5	QM-VG-21	M	≥4.0	95±5	
QM-VG-16	L	≥4.5	105±5	QM-VG-22	L	≥4.5	105±5	
QM-VG-17	XL	≥5.0	115±5	QM-VG-23	XL	≥5.0	115±5	
QM-VG-18	XXL	≥5.5	125±5	QM-VG-24	XXL	≥5.5	125±5	
Description								
								



Mount Emei·Sichuan

Nitrile Gloves

Medical Examination Grade

Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	
QM-NG-01	XS	≥3.0	75±5	QM-NG-07	XS	≥3.0	75±5	☀️ HS Code:40151200 ☀️ Elongation(min):500% ☀️ Tensile Strength(min):14 MPA ☀️ Length:9"/12" ☀️ MOQ:1×20"GP ☀️ Package:100 PCS/Box,10 Boxes/CTN ☀️ Force at Break(min) EN Standard:6N ☀️ Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀️ Finger/Diamond Texture(Orange Color) ☀️ Color:Blue/Black/Green/Orange(Customized)
QM-NG-02	S	≥3.5	85±5	QM-NG-08	S	≥3.5	85±5	
QM-NG-03	M	≥4.0	95±5	QM-NG-09	M	≥4.0	95±5	
QM-NG-04	L	≥4.5	105±5	QM-NG-10	L	≥4.5	105±5	
QM-NG-05	XL	≥5.0	115±5	QM-NG-11	XL	≥5.0	115±5	
QM-NG-06	XXL	≥5.5	125±5	QM-NG-12	XXL	≥5.5	125±5	

Description





Nitrile Gloves



Wuhou Temple·Sichuan

Industrial Grade								
Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	☀ HS Code:40151900 ☀ Elongation(min):500% ☀ Tensile Strength(min):14 MPA ☀ Length:9"/12"☀ MOQ:1×20"GP ☀ Package:100 PCS/Box,10 Boxes/CTN ☀ Force at Break(min) EN Standard:6N ☀ Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀ Finger/Diamond Texture(Orange Color) ☀ Color:Blue/Black/Green/Orange(Customized)
QM-NG-13	XS	≥2.5	75±5	QM-NG-19	XS	≥2.5	75±5	
QM-NG-14	S	≥3.0	85±5	QM-NG-20	S	≥3.0	85±5	
QM-NG-15	M	≥3.5	95±5	QM-NG-21	M	≥3.5	95±5	
QM-NG-16	L	≥4.0	105±5	QM-NG-22	L	≥4.0	105±5	
QM-NG-17	XL	≥4.5	115±5	QM-NG-23	XL	≥4.5	115±5	
QM-NG-18	XXL	≥5.0	125±5	QM-NG-24	XXL	≥5.0	125±5	
Description								
								



Jade Dragon Snow Mountain·Yunnan

Blended Gloves

Medical Examination Grade

Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	
QM-BG-01	XS	≥3.0	75±5	QM-BG-07	XS	≥3.0	75±5	☀️ HS Code:39262011 ☀️ Elongation(min):300% ☀️ Length:9"☀️ MOQ:1×20"GP ☀️ Tensile Strength(min):11 MPA ☀️ Diamond Texture(Orange Color) ☀️ Package:100 PCS/Box,10 Boxes/CTN ☀️ Force at Break(min) EN Standard:3.6N ☀️ Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀️ Color:Blue/Black/Green/Orange(Customized)
QM-BG-02	S	≥3.5	85±5	QM-BG-08	S	≥3.5	85±5	
QM-BG-03	M	≥4.0	95±5	QM-BG-09	M	≥4.0	95±5	
QM-BG-04	L	≥4.5	105±5	QM-BG-10	L	≥4.5	105±5	
QM-BG-05	XL	≥5.0	115±5	QM-BG-11	XL	≥5.0	115±5	
QM-BG-06	XXL	≥5.5	125±5	QM-BG-12	XXL	≥5.5	125±5	

Description





Blended Gloves



Tiger Leaping Gorge·Yunnan

Industrial Grade								
Powder Free				Powder				Details
Code	Size	Weight (g)	Width (mm)	Code	Size	Weight (g)	Width (mm)	☀️ HS Code:39262011 ☀️ Elongation(min):300% ☀️ Tensile Strength(min):11 MPA 🌟 Diamond Texture(Orange Color) ☀️ Package:100 PCS/Box,10 Boxes/CTN 🌟 Length:9"/11"/12"☀️ MOQ:1×20"GP ☀️ Force at Break(min) EN Standard:3.6N 🌟 Quality Management System:ISO 9001 /ISO 13485/MDSAP/BRC Certificate ☀️ Color:Blue/Black/Green/Orange(Customized)
QM-BG-13	XS	≥2.5	75±5	QM-BG-19	XS	≥2.5	75±5	
QM-BG-14	S	≥3.0	85±5	QM-BG-20	S	≥3.0	85±5	
QM-BG-15	M	≥3.5	95±5	QM-BG-21	M	≥3.5	95±5	
QM-BG-16	L	≥4.0	105±5	QM-BG-22	L	≥4.0	105±5	
QM-BG-17	XL	≥4.5	115±5	QM-BG-23	XL	≥4.5	115±5	
QM-BG-18	XXL	≥5.0	125±5	QM-BG-24	XXL	≥5.0	125±5	
Description								
								